

Shining light on solar panels

Jim H. Adams and Will Cottrell

First edition, 11th September 2016

Copyright © Jim H. Adams and Will Cottrell 2016

This work may be translated or copied in whole or in part without the permission of the authors, Jim H. Adams and Will Cottrell, provided that they are given as the source of the text, which is asserted by them unless indicated otherwise. Use is allowed with any information storage and retrieval system, electronic adaption, computer software, or by any method now known or later developed.

Foreword

Shining light on solar panels is found on the front page and as item 3 in the Engineering section of www.jimhadams.com. It shows how to raise power output by reflecting light on solar panel arrays on flat roofs.

This is not a full technical review of the subject, which would be interesting. We do not have time. However, we have compared our ideas, developments and implementations with those of others, and given references to their work.

The technical part of the report should be accessible to those with a science A level. Its contents are designed for people who wish to educate themselves about the theory and practice of solar panels. Its recommendations may be of interest to decision makers who wish to increase the efficiency of their photovoltaic (PV) installations.

Table of contents

1. Executive summary

1.1 Scope and specification

1.2 Summary

1.3 Recommendations

2. Technical report

2.1 Introduction

2.1.1 The array and reflector design

2.1.2 Technical summary

2.1.3 Technical recommendations

2.2 Solar radiation

2.3 The response of a PV panel to illumination

2.3.1 How PV panels work

2.3.2 PV response to temperature

2.3.3 Types of PV panel and their frequency response

2.4 The control of PV array output

2.4.1 Circuit diagrams

2.4.2 Inverters and controllers

2.4.3 Edge of cloud effect

2.5 The optimal panel slope

2.5.1 The optimal slope of a panel, by latitude

2.5.2 Non south facing panels

2.6 Reflectors

2.6.1 Reflector materials and coverings

2.6.2 Reflector characteristics

2.7 Additional output using reflectors

2.7.1 Angles of incidence and reflection

2.7.2 The main reflector set-up

2.7.3 Illuminating the panel from above

2.7.4 Illuminating the panel from below

2.7.5 Possibly warranty compliant solutions

2.7.6 Maximum output

2.7.7* Characteristics for increasing output by percentages

2.8 Comparing theory with practice

2.8.1 Review of other information

2.8.2 The practice of PV reflectors on flat roofs

2.8.3* Testing

2.9 Protective measures

2.9.1* Arrays and reflectors in high winds

2.9.2 Health and safety procedures

2.9.3* Reflectors and the behaviour of birds

2.9.4 Cooling systems

2.9.5 Washing systems

2.10 Benefits and costs

2.10.1 Trends

2.10.2 Benefits and costs of reflector systems

2.10.3 Benefits and costs of non-warranty compliance

3. References

* = omitted in the first edition

1. Executive summary.

1.1. Scope and specification.

The present work arose from a specification by Will Cottrell of Brighton Energy Co-op who wanted to install reflectors for fixed photovoltaic (PV) arrays on flat roofs. The questions he asked were

(A) Is it necessary to cover all of a PV panel with additional radiation from a reflector in order for the output of the panel to be boosted by the increased illumination?

(B) What is the optimum panel reflector setup on a flat roof?

(C) Is there a design that can illuminate a panel from below using a reflector, and will this work?

(D) What is the additional output you expect?

1.2. Summary.

On average about half of the light from the sun which reaches the ground reaches it directly and the other half comes from blue sky or clouds. We find that for a solar panel nearly facing south, a slope angle of 30 degrees boosts output by 10%. When the panel is not near to south facing, a steeper slope, say 35 degrees, is better.

1.3. Recommendations.